

দুটি সন্তানের বেশি নয়,  
একটি হলে ভাল হয়।

Government of the People's Republic of Bangladesh  
Directorate General of Family Planning  
Logistics & Supply Unit  
6, Karwanbazar, Dhaka-1215.

Memo No. DGFP/L&S-3/AD Syringe/2015-16/99/71

Date: 16.03.2016


**Addendum - 2**

This is to notify all concerned that the following corrections have been made in the Bidding documents for Procurement of 08(eight) million pieces of Auto-Disable (AD) Syringe (one ml) under Contract Package No. GFP/FS-03/15 and Invitation for Bid (IFB) No. DGFP/L&S-3/AD Syringe/2015-16/99/38 dated 31.01.2016.

Sl. No.	Page No.	Reference	Existing provision in the Bidding documents	Amended provision in the Bidding documents
1.	59	Bidding documents, Section VII. (Technical Specification), Quality Standard	All products should conform the Standard ISO 7886-4 and WHO PQS E13/086	All products should conform the Standard ISO 7886-4 and WHO PQS E13

This addendum will be the integral part of the Bidding documents. All other pages and Terms and conditions of the Bidding documents will remain unchanged.

This has the concurrence of the Director General.


  
(Md. Abdus Salam Sarker)  
(Joint Secretary)  
Director (Logistics & Supply) and  
Line Director (Procurement, Storage and Supply Management)  
Phone: 880-2-9101232

MemoNo.DGFP/L&S-3/ADSyringe/2015-16/99/71/1(7)

Date: 16.03.2016

Copy for kind information and necessary action:

1. Line Director (FSDP), DGFP, Dhaka.
2. Mrs. Bushra Binte Alam, Senior Health Policy Specialist, Health Sector Development Programme, World Bank office. Dhaka, E-32, Agargaon, Sher-e-Bangla Nagar, Dhaka-1207.
3. PA to Director General of DGFP.
4. Prospective Bidders / Bidder's representatives (all).....

  
(Md. Lutfur Rahman)  
Deputy Director (Logistics & Supply)  
Logistics & Supply Unit.